

Therefore the acceleration effect, although the mechanism is still uncertain, may be attributed to the production of antibacterioactive species in the course of oxidation process of halide ions on TiO_2 surface.

Present results will suggest the possibility of usage of powdered TiO_2 especially in dentistry.

REFERENCES

- 1) H. Kisch and J. Bucheler, *Bull. Chem. Soc. Jpn.*, **63**, 2378 (1990).
- 2) I. Izumi, *Denki Kagaku*, **53**, 178 (1985).
- 3) H. Inoue, T. Matsuyama, B. J. Liu, T. Sakata, H. Mori and H. Yoneyama, *Chem. Lett.*, 653 (1994).
- 4) Y. Nosaka, Y. Ishizuka, K. Norimatsu and H. Miyama, *Bull. Chem. Soc. Jpn.*, **57**, 3066 (1984).
- 5) T. Matsunaga, R. Tomoda, T. Nakajima and H. Wake, *FEMS Microbiol. Lett.*, **29**, 211 (1985).
- 6) K. Onoda, J. Watanabe, Y. Nakagawa and I. Izumi, *Denki Kagaku*, **56**, 1108 (1988).
- 7) T. Morioka, T. Saito, Y. Nara and K. Onoda, *Caries Research*, **22**, 230 (1988).